

SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

SECTION 1: Identification

Product identifier

Product name DPD Reagent #1
Product number R-0001; R-0001-PL

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

SECTION 2: Hazard(s) identification

Physical hazards No data available

Health hazards Eye damage/irritation Category 2A

No data available

Skin corrosion/irritation Category 2

Environmental hazards

Label elements

Hazard pictograms



Signal word Warning

Hazard statements Causes skin irritation. Causes serious eye irritation.

Precautionary statements

Prevention Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection if contact is likely to occur.

Response IF ON SKIN: Wash with plenty of water. IF SKIN IRRITATION OCCURS: Get medical

advice/attention. Take off all contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing. IF EYE IRRITATION PERSISTS: Get medical advice/attention.

Storage Keep tightly capped. Store out of direct sunlight between 36°F–85°F.

Disposal No data available **Hazards not otherwise** No data available

classified

SECTION 3: Composition/information on ingredients

Mixture	3		
Chemical name	Common name and synonyms	CAS number	%
Water	Dihydrogen oxide	7732-18-5	80–90
Dipotassium phosphate	Dipotassium hydrogenphosphate	7758-11-4	5–10
Disodium phosphate	Disodium hydrogenorthophosphate	7558-79-4	5–10
Other components below reportable levels			0.01-0.1

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.

If swallowed

Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs. If symptoms persist or in all cases of concern, seek medical advice.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing Do not use a heavy water stream. Use of heavy stream of water may spread fire.

media

Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity Hazardous reactions will not occur under normal conditions.

Hazardous combustion Carbon oxides and phosphorous oxides

products

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting Use water spray or fog for cooling exposed containers.

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water to remove residual contamination.

Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product.

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Keep tightly capped. Store out of direct sunlight between 36°F-85°F. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limits No occupational exposure limits noted for the ingredient(s) **Biological limit values** No biological exposure limits noted for the ingredient(s)

Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.

Personal protective

equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA Respiratory protection

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure

limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, colorless

Odor Odorless

Odor threshold No data available

pΗ 10

Evaporation rate No data available No data available Melting point Freezing point No data available 212°F (100°C) Boiling point Flash point No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure 17 mm Hg Relative vapor density 0.64

Soluble in all proportions Solubility

Partition coefficient

No data available

(n-octanol/water)

No data available Viscosity Explosive properties No data available Oxidizing properties No data available

SECTION 10: Stability and reactivity

Reactivity Hazardous reactions will not occur under normal conditions.

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS) Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

Conditions to avoid Contact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Metal compounds, oxidizing agents, and strong acids

SECTION 11: Toxicological information

Information on toxicological

effects

Inhalation May cause irritation to the respiratory system Skin contact May cause slight or mild transient irritation

Eve contact May cause serious irritation

May cause irritation, nausea, vomiting, and diarrhea Ingestion

Most important

symptoms/effects, acute and

delayed

Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness and

Direct eye contact may cause slight or mild transient irritation. Symptoms may include stinging,

tearing, redness, swelling, and blurred vision. Inhalation of mists can cause respiratory irritation. Symptoms may include coughing and breathing

difficulties.

Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Acute toxicity This product is not classified as an acute toxicity hazard. See below for individual ingredient acute

toxicity data.

Test Results Components **Species**

Disodium phosphate (CAS 7558-79-4)

Acute

Oral

Rat 17000 mg/kg LD_{50}

Respiratory or skin

sensitization

No data available

Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available

Specific target organ toxicity

(single exposure)

No data available

Specific target organ toxicity No data available

(repeated exposure)

Aspiration hazard No data available

SECTION 12: Ecological information

This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

DOT Not regulated as a dangerous good **IATA** Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good

SECTION 15: Regulatory information

U.S. federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance (40 CFR 302.4)

Disodium phosphate (CAS 7558-79-4)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate hazardYesDelayed hazardNoFire hazardNoPressure hazardNoReactivity hazardNo

U.S. state regulations

Massachusetts Right-to-Know Act

Disodium phosphate (CAS 7558-79-4)

New Jersey Worker and Community Right-to-Know Act

Disodium phosphate (CAS 7558-79-4)

Pennsylvania Worker and Community Right-to-Know Act

Disodium phosphate (CAS 7558-79-4)

Rhode Island Right-to-Know Act

Disodium phosphate (CAS 7558-79-4)

SECTION 16: Other information

NFPA Rating

Health hazard 0
Fire hazard 0
Reactivity 0
Specific N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

April 2015

Last revisions

April 2016



SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

SECTION 1: Identification

Product identifier

Product name DPD Reagent #2
Product number R-0002; R-0002-PL

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

SECTION 2: Hazard(s) identification

Physical hazards No data available

Health hazardsEye damage/irritationCategory 1Skin corrosion/irritationCategory 1B

Environmental hazards

Label elements

Hazard pictograms



No data available

Signal word Danger

Hazard statements Causes severe skin burns and eye damage

Precautionary statements

Prevention Do not breathe dusts or mists. Wash skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection if contact is likely to occur.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (OR HAIR): Take off

immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a physician or poison control center. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a

physician or poison control center.

Storage Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise

classified

No data available

SECTION 3: Composition/information on ingredients Mixture Chemical name Common name and synonyms CAS number % Water Dihydrogen oxide 7732-18-5 85-95 Trade secret Not available Not available 5-15

Other components below

reportable levels

<1

SDS US

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops. Chemical burns must be treated by a physician.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

If swallowed

Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing

media

Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity Hazardous reactions will not occur under normal conditions.

Hazardous combustion

products

Carbon dioxide, carbon monoxide, nitrogen oxides, phosphorous oxides, and sulfur oxides

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting Use water spray or fog for cooling exposed containers.

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water. Never return spills to original containers for reuse. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release,

notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Keep tightly capped. Store out of direct sunlight between 36°F-85°F. Store locked up. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limits No occupational exposure limits noted for the ingredient(s) **Biological limit values** No biological exposure limits noted for the ingredient(s)

Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities

and emergency shower must be available when handling this product.

Personal protective

equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure

limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, colorless or nearly colorless

Odor Odorless

Odor threshold No data available

Hq 1.3

Evaporation rate No data available Melting point No data available No data available Freezing point **Boiling** point 212°F (100°C) Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available

Vapor pressure 17 mm Hg Relative vapor density 0.65

Soluble in all proportions Solubility

Partition coefficient

(n-octanol/water)

No data available

No data available Viscosity Explosive properties No data available Oxidizing properties No data available

SECTION 10: Stability and reactivity

Reactivity Hazardous reactions will not occur under normal conditions.

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS) Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

Conditions to avoidContact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Alkalis, metal nitrates, metals, strong bases, and strong oxidizers

SECTION 11: Toxicological information

Information on toxicological

effects

Inhalation May cause irritation to the respiratory system

Skin contact Causes severe skin burns

Eye contact Causes serious eye damage
Ingestion Causes digestive tract burns

Most important

symptoms/effects, acute and

delayed

Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent

scarring.

Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

Inhalation of mists can cause severe respiratory irritation. Symptoms may include coughing, choking,

and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of

pulmonary edema (chest pain, shortness of breath) may be delayed.

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding.

Acute toxicity This product is not classified as an acute toxicity hazard. See below for individual ingredient acute

toxicity data.

No data available

Components **Test Results** Species Trade secret Acute Dermal LD_{50} Rabbit 7940 mg/kg Oral LD_{50} Rat 2400 mg/kg Respiratory or skin No data available sensitization Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available Specific target organ toxicity No data available (single exposure)

SECTION 12: Ecological information

(repeated exposure)
Aspiration hazard

Specific target organ toxicity No data available

This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

DOT

UN number UN3265

UN proper shipping name Corrosive liquid, acidic, organic, N.O.S. (Phosphorous-based organic acid)

Transport hazard class(es)

Class 8 Subsidiary risk Not listed

Label(s) 8
Packing group III

Read safety instructions, SDS, and emergency procedures before handling. Special precautions for user

Special provisions B2, IB2, T11, TP2, TP27

Packaging exceptions 154 Packaging, non-bulk 202 Packaging, bulk 242

IATA

UN number UN3265

UN proper shipping name Corrosive liquid, acidic, organic, N.O.S. (Phosphorous-based organic acid)

Transport hazard class(es)

Class

Not listed Subsidiary risk Packing group Ш Environmental hazards Not listed ERG code 8L

Special precautions for user

Read safety instructions, SDS, and emergency procedures before handling.

Other information

Passenger and cargo Allowed

aircraft

Cargo aircraft only Allowed

IMDG

UN3265 **UN** number

UN proper shipping name Corrosive liquid, acidic, organic, N.O.S. (Phosphorous-based organic acid)

Transport hazard class(es)

Class

Subsidiary risk Not listed Packing group Ш

Environmental hazards

Marine pollutant Not listed **EmS** F-A. S-B

Read safety instructions, SDS, and emergency procedures before handling. Special precautions for user

This substance/mixture is not intended to be transported in bulk.

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA: IMDG



SECTION 15: Regulatory information

No data available

SECTION 16: Other information

NFPA Rating

Health hazard 1 0 Fire hazard 0 Reactivity Specific N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date: April 2015 Last revisions July 2016



SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

SECTION 1: Identification

Product identifier

Product name DPD Reagent #3 Product number R-0003; R-0003-PL

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

> 31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

SECTION 2: Hazard(s) identification

Physical hazards No data available **Health hazards** No data available **Environmental hazards** No data available

Label elements

No data available Hazard pictograms Signal word No data available Hazard statements No data available

Precautionary statements

No data available Prevention No data available Response

Storage Keep tightly capped. Store out of direct sunlight between 36°F-85°F.

No data available Disposal

Avoid contact with skin, eyes, or clothing. For contact with skin or eyes, flush 20 minutes with water. Hazards not otherwise classified

If ingested, contact physician or local poison control center. Treat symptoms as needed.

SECTION 3: Composition/information on ingredients

Mixture	<u> </u>		
Chemical name	Common name and synonyms	CAS number	%
Water	Dihydrogen oxide	7732-18-5	70–80
Potassium iodide	Not available	7681-11-0	10–20
Other components below reportable levels			0.01–0.1

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops.

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.

If swallowed

Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs. If symptoms persist or in all cases of concern, seek medical advice.

SDS US

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Unsuitable extinguishing Do not use a heavy water stream. Use of heavy stream of water may spread fire.

media

Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity Hazardous reactions will not occur under normal conditions.

Hazardous combustion Carbon oxides, hydrogen iodide, and iodine oxides

products

Advice for firefighters

Precautionary measures

Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting Use water spray or fog for cooling exposed containers.

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Wear appropriate protective equipment and clothing during cleanup. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recover, flush area with water. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

ACGIH Threshold Limit Values

Components	ı ype	value	Form
Potassium iodide (CAS 7681-11-0)	TWA	0.01 ppm	Inhalable fraction and vapor

Biological limit values No biological exposure limits noted for the ingredient(s)

Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.

Personal protective equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure

limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, colorless or nearly colorless

Odor Odorless

Odor threshold No data available

pH 7.6

No data available Evaporation rate Melting point No data available Freezing point No data available 212°F (100°C) Boiling point Flash point No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure 17 mm Hg

Relative vapor density 0.6

Solubility Soluble in all proportions

Partition coefficient (n-octanol/water)

oefficient No data available

Viscosity

No data available
Explosive properties

No data available
Oxidizing properties

No data available

SECTION 10: Stability and reactivity

Reactivity Hazardous reactions will not occur under normal conditions.

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS)

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

Conditions to avoidContact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Oxidizing agents

SECTION 11: Toxicological information

Information on toxicological

effects

Inhalation May cause irritation to the respiratory system
Skin contact May cause slight or mild transient irritation
Eye contact May cause slight or mild transient irritation

Ingestion May cause irritation, nausea, vomiting, and diarrhea

Most important

symptoms/effects, acute and

delayed

Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness and

itching.

Direct eye contact may cause slight or mild transient irritation. Symptoms may include stinging,

tearing, redness, swelling, and blurred vision.

Inhalation of mists can cause respiratory irritation. Symptoms may include coughing and breathing

difficulties.

Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Acute toxicity This product is not classified as an acute toxicity hazard. See below for individual ingredient acute

toxicity data.

Components Species Test Results

Potassium iodide (CAS 7681-11-0)

Acute

Oral

LD₅₀ Rat 1862 mg/kg

Respiratory or skin

sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Specific target organ toxicity No data available

(single exposure)

Aspiration hazard

No data available No data available

single exposure)

Specific target organ toxicity No data available

(repeated exposure)

Reproductive toxicity

No data available

SECTION 12: Ecological information

This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

No data available

SECTION 15: Regulatory information

No data available

SECTION 16: Other information

NFPA Rating

Health hazard 0
Fire hazard 0
Reactivity 0
Specific N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

April 2015

Last revisions

May 2016



SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

SECTION 1: Identification

Product identifier

Product name pH Indicator Solution (Phenol Red)

Product number R-0004

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

SECTION 2: Hazard(s) identification

Physical hazards No data available
Health hazards No data available
Environmental hazards No data available

Label elements

Hazard pictograms No data available
Signal word No data available
Hazard statements No data available

Precautionary statements

Prevention No data available
Response No data available

Storage Keep tightly capped. Store out of direct sunlight between 36°F–85°F.

Disposal No data available

Hazards not otherwise

Avoid contact with skin, eyes, or clothing. For contact with skin or eyes, flush 20 minutes with water.

classified If ingested, contact physician or local poison control center. Treat symptoms as needed.

SECTION 3: Composition/information on ingredients

Mixture	-		
Chemical name	Common name and synonyms	CAS number	%
Water	Dihydrogen oxide	7732-18-5	90–99
Trade secret	Not available	Not available	0.1–5
Other components below	V		0.1–5

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.

If swallowed

Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs. If symptoms persist or in all cases of concern, seek medical advice.

SDS US

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing Do not use a heavy water stream. Use of heavy stream of water may spread fire.

media

Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity Hazardous reactions will not occur under normal conditions.

Hazardous combustion Carbon oxides and sulfur oxides

products

Advice for firefighters Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting Use water spray or fog for cooling exposed containers.

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Wear appropriate protective equipment and clothing during cleanup. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recover, flush area with water. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Keep tightly capped. Store out of direct sunlight between 36°F-85°F. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

ACGIH Threshold Limit Values

Components

Compensite	. , , , ,	raido	. •		
Trade secret	TWA	20 mg/m ³	Inhalable fraction and vapor		
OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)					
Components	Туре	Value	Form		

Value

Form

Type

Components	Туре	Value	Form	
Trade secret	PEL	22 mg/m ³	Not applicable	
		5 ppm	Not applicable	

Biological limit values No biological exposure limits noted for the ingredient(s)

Exposure guidelines

ACGIH Threshold Limit Values: Skin designation

Trade secret Can be absorbed through skin

California OELs: Skin designation

Trade secret Can be absorbed through skin Minnesota Hazardous Substance: Skin designation

Trade secret Skin designation applies

OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Trade secret Can be absorbed through skin

Tennessee OELs: Skin designation

Trade secret Can be absorbed through skin

Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities

and emergency shower must be available when handling this product.

Personal protective

equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure

limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Form Liquid
Color Clear, red
Odor Phenolic

Odor threshold No data available

pH 7.7

No data available Evaporation rate Melting point No data available No data available Freezing point Boiling point 212°F (100°C) Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available No data available Flammability (solid, gas) Vapor pressure 17 mm Hg

Relative vapor density 0.6

Solubility Soluble in all proportions

Partition coefficient

(n-octanol/water)

No data available

Viscosity

No data available
Explosive properties

No data available
Oxidizing properties

No data available

SECTION 10: Stability and reactivity

Reactivity Hazardous reactions will not occur under normal conditions.

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS)

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

Conditions to avoidContact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Oxidizing agents

SECTION 11: Toxicological information

Information on toxicological

effects

Inhalation May cause irritation to the respiratory system
Skin contact May cause slight or mild transient irritation
Eye contact May cause slight or mild transient irritation

Ingestion May cause irritation, nausea, vomiting, and diarrhea

Most important

symptoms/effects, acute and

delayed

Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness and

itching.

Direct eye contact may cause slight or mild transient irritation. Symptoms may include stinging,

tearing, redness, swelling, and blurred vision.

Rat

Inhalation of mists can cause respiratory irritation. Symptoms may include coughing and breathing

242 mg/kg

difficulties.

Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Acute toxicity This product is not classified as an acute toxicity hazard. See below for individual ingredient acute

toxicity data.

Components Species Test Results

Trade secret

Acute

Dermal

 LD_{50}

Rabbit 2050 mg/kg

Oral

LD₅₀

or skin

No data available

Respiratory or skin sensitization

Germ cell mutagenicity

No data available

CarcinogenicityNo data availableReproductive toxicityNo data available

Specific target organ toxicity No data available (single exposure)

(repeated exposure)

Specific target organ toxicity No data available

Aspiration hazard No data available

SECTION 12: Ecological information

This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

No data available

SECTION 15: Regulatory information

No data available

SECTION 16: Other information

NFPA Rating

Health hazard 0
Fire hazard 0
Reactivity 0
Specific N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

June 2015

Last revisions

June 2016



SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

SECTION 1: Identification

Product identifier

Product name Acid Demand Reagent

Product number R-0005

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

> 31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

SECTION 2: Hazard(s) identification

Physical hazards Corrosive to metals Category 1 Health hazards Eve damage/irritation Category 1 Skin corrosion/irritation Category 1B

Environmental hazards

Label elements

Hazard pictograms



No data available

Signal word Danger

Hazard statements May be corrosive to metals. Causes severe skin burns and eye damage.

Precautionary statements

Prevention Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection if contact is likely to occur.

Absorb spillage to prevent material damage. IF SWALLOWED: Rinse mouth. Do NOT induce Response

> vomiting. IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a physician or poison control center. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing. Immediately call a physician or poison control center.

Store in corrosive-resistant container with a corrosive-resistant inner liner. Keep tightly capped. Storage

Store out of direct sunlight between 36°F-85°F. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise classified No data available

SECTION 3: Composition/information on ingredients

Mixture

MIXIUIC				
Chemical name	Common name and synonyms	CAS number	%	
Water	Dihydrogen oxide	7732-18-5	>99	
Sulfuric acid	Hydrogen sulfate	7664-93-9	<1	

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

SDS US

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops. Chemical burns must be treated by a physician.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

If swallowed

Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Specific hazards arising from the

substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity May be corrosive to metals

Hazardous combustion products Sulfur oxides

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting Use water spray or fog for cooling exposed containers.

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water. Small Spills: Absorb spillage with noncombustible, absorbent material. Clean surface thoroughly to remove residual contamination. Never return spills to original containers for reuse. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store in corrosive-resistant container with a corrosive-resistant inner liner. Keep tightly capped. Store out of direct sunlight between 36°F-85°F. Store locked up. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

ACGIH Threshold Limit Values

Components	Туре	Value	Form
Sulfuric acid (CAS 7664-93-9)	TWA	0.2 mg/m ³	Thoracic function

NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/m ³	Not applicable

OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Sulfuric acid (CAS 7664-93-9)	PEL	1 mg/m ³	Not applicable

No biological exposure limits noted for the ingredient(s) **Biological limit values**

Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.

Personal protective equipment

> Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure

limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, colorless

Odor Odorless

Odor threshold No data available

рΗ

Evaporation rate No data available No data available Melting point Freezing point No data available Boiling point 212°F (100°C) Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure 17 mm Hg

0.6 Relative vapor density

Solubility Soluble in all proportions

No data available

Partition coefficient

(n-octanol/water)

Viscosity No data available Explosive properties No data available
Oxidizing properties No data available

SECTION 10: Stability and reactivity

Reactivity May be corrosive to metals

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS)

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

Conditions to avoidContact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Metal compounds, nitromethane, oxidizing agents, sugars

SECTION 11:

Information on toxicological

effects

Inhalation May cause irritation to the respiratory system

Skin contact Causes severe skin burns

Eye contact Causes serious eye damage
Ingestion Causes digestive tract burns

Most important

symptoms/effects, acute and

delayed

Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent

scarring.

Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision

Inhalation of mists can cause severe respiratory irritation. Symptoms may include coughing, choking,

and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of

pulmonary edema (chest pain, shortness of breath) may be delayed.

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding.

Acute toxicity This product is not classified as an acute toxicity hazard. See below for individual ingredient acute

toxicity data.

Components Species Test Results

Sulfuric acid (CAS 7664-93-9)

Acute

Inhalation

 LC_{50} Rat 510 mg/m³, 2 hours

Oral

 LD_{50} Rat 2140 mg/kg

Respiratory or skin sensitization No data available
Germ cell mutagenicity No data available
Carcinogenicity No data available
Reproductive toxicity No data available
Specific target organ toxicity (single exposure)

Specific target organ toxicity

(repeated exposure)

No data available

Aspiration hazard No data available

SECTION 12: Ecological information

This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

DOT

UN number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, N.O.S. (Sulphuric acid)

Transport hazard class(es)

Class

Subsidiary risk Not listed Label(s) 8

Packing group III

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154
Packaging, non-bulk 203
Packaging, bulk 241

IATA

UN number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, N.O.S. (Sulphuric acid)

Transport hazard class(es)

Class 8

Subsidiary risk Not listed Packing group III Environmental hazards Not listed

ERG code 8L

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed Cargo aircraft only Allowed

IMDG

UN number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, N.O.S. (Sulphuric acid)

Transport hazard class(es)

Class 8

Subsidiary risk Not listed Packing group III

Environmental hazards

Marine pollutant Not listed EmS F-A, S-B

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according

This substance/mixture is not intended to be transported in bulk.

to Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG

SECTION 15: Regulatory information

U.S. federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance (40 CFR 302.4)

Sulfuric acid (CAS 7664-93-9)

SARA 302 Extremely Hazardous Substance

Sulfuric acid (CAS 7664-93-9)

SARA 304 Emergency Release Notification

Sulfuric acid (CAS 7664-93-9)

SARA 313 (TRI Reporting)

Sulfuric acid (CAS 7664-93-9)

U.S. state regulations

Massachusetts Right-to-Know Act

Sulfuric acid (CAS 7664-93-9)

New Jersey Worker and Community Right-to-Know Act

Sulfuric acid (CAS 7664-93-9)

Pennsylvania Worker and Community Right-to-Know Act

Sulfuric acid (CAS 7664-93-9)

Rhode Island Right-to-Know Act

Sulfuric acid (CAS 7664-93-9)

SECTION 16: Other information

NFPA Rating

Health hazard 1
Fire hazard 0
Reactivity 0
Specific N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

May 2015

Last revisions

July 2016



SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

SECTION 1: Identification

Product identifier

Product name Base Demand Reagent

Product number R-0006

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

SECTION 2: Hazard(s) identification

Physical hazards No data available

Health hazards Eye damage/irritation Category 2A

Environmental hazards No data available

Label elements

Hazard pictograms



Signal word Warning

Hazard statements Causes serious eye irritation

Precautionary statements

Prevention Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection if contact is likely to occur.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do. Continue rinsing. IF EYE IRRITATION PERSISTS: Get medical advice/attention.

Storage Keep tightly capped. Store out of direct sunlight between 36°F–85°F.

Disposal No data available **Hazards not otherwise** No data available

classified

SECTION 3: Composition/information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Water	Dihydrogen oxide	7732-18-5	>99
Sodium carbonate	Soda ash	497-19-8	<1

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.

SDS US

If swallowed

Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs. If symptoms persist or in all cases of concern, seek medical advice.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing

Do not use a heavy water stream. Use of heavy stream of water may spread fire.

media

Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity Hazardous reactions will not occur under normal conditions.

Hazardous combustion

products

Carbon oxides and sodium oxides

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting

equipment/instructions

Use water spray or fog for cooling exposed containers.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water to remove residual contamination. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limits No occupational exposure limits noted for the ingredient(s)

Biological limit values No biological exposure limits noted for the ingredient(s)

Exposure controls

Appropriate engineering Good

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.

Personal protective

equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure

limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, colorless or nearly colorless

Odor Odorless

Odor threshold No data available

pH 11.2

Evaporation rate No data available Melting point No data available No data available Freezing point Boiling point 212°F (100°C) Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available 17 mm Hg Vapor pressure

vapor pressure 17 mm ng

Relative vapor density 0.6

Solubility Soluble in all proportions

Partition coefficient (n-octanol/water)

No data available

Viscosity

No data available
Explosive properties

No data available
Oxidizing properties

No data available

SECTION 10: Stability and reactivity

Reactivity Hazardous reactions will not occur under normal conditions.

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS)

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

Conditions to avoidContact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Strong acids

SECTION 11: Toxicological information

Information on toxicological

effects

Inhalation May cause irritation to the respiratory system
Skin contact May cause slight or mild transient irritation

Eye contact Causes serious eye irritation

Ingestion May cause irritation, nausea, vomiting, and diarrhea

Most important

symptoms/effects, acute and delayed

Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness and itching.

Direct eye contact may cause serious irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Inhalation of mists can cause respiratory irritation. Symptoms may include coughing and breathing

Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

This product is not classified as an acute toxicity hazard. See below for individual ingredient acute **Acute toxicity** toxicity data.

Components **Species Test Results**

Sodium carbonate (CAS 497-19-8)

Acute

Inhalation

LC₅₀ Rat 5750 mg/L, 2 hours

Oral

LD₅₀ Rat 4090 mg/kg

Respiratory or skin

sensitization

No data available

Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available Specific target organ toxicity No data available (single exposure)

Specific target organ toxicity No data available

(repeated exposure)

Aspiration hazard No data available

SECTION 12: Ecological information

This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

DOT Not regulated as a dangerous good **IATA** Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good

SECTION 15: Regulatory information

No data available

SECTION 16: Other information

NFPA Rating

Health hazard 1 Fire hazard 0 Reactivity 0 Specific N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date: May 2015 Last revisions July 2016