SAFETY DATA SHEET



FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

### PRODUCT NAME: Salt Solutions by Ultima Monthly Salt Maintenance

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Arch Chemicals, Inc. 1200 Bluegrass Lakes Parkway	REVISION DATE: SUPERCEDES:	05/26/2015
Alpharetta, GA 30004	MSDS Number: SYNONYMS: CHEMICAL FAMILY: DESCRIPTION / USE FORMULA:	00000025674 None Mixture Swimming pool water treatment None established

# **SECTION 2. HAZARDS IDENTIFICATION**

|--|

Oxidizing solids	:	Category 1
Corrosive to metals	:	Category 1
Acute toxicity (Inhalation)	:	Category 4
Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)

#### **GHS Label element**

ÁRCH.	Arch Chemicals, Inc.	SAFETY DATA SHEET
Hazard pictograms		
Signal word	: Danger	
Hazard statements	H290 May be corrosiv H314 Causes severe H317 May cause an a H318 Causes serious H332 Harmful if inhal	skin burns and eye damage. allergic skin reaction. s eye damage. ed. rgy or asthma symptoms or breathing
Precautionary statements	<ul> <li>P221 Take any preca</li> <li>P234 Keep only in ori</li> <li>P261 Avoid breathing</li> <li>P264 Wash skin thord</li> <li>P271 Use only outdood</li> <li>P272 Contaminated workplace.</li> <li>P280 Wear protective face protection.</li> <li>P283 Wear fire/ flame</li> <li>P285 In case of inade</li> <li>Response:</li> <li>P301 + P330 + P331</li> <li>induce vomiting.</li> <li>P303 + P361 + P353</li> <li>all contaminated cloth</li> <li>P304 + P340 + P310</li> <li>and keep comfortable</li> <li>CENTER or doctor/ p</li> <li>P305 + P351 + P338</li> <li>water for several minite</li> <li>easy to do. Continue</li> <li>or doctor/ physician.</li> <li>P306 + P360 IF ON C</li> <li>clothing and skin with</li> <li>P333 + P313 If skin if</li> <li>attention.</li> <li>P342 + P311 If expering</li> <li>POISON CENTER or</li> <li>P363 Wash contamining</li> <li>P370 + P378 In case</li> <li>alcohol-resistant foan</li> </ul>	ay from clothing/ combustible materials. aution to avoid mixing with combustibles. iginal container. g dust/ fume/ gas/ mist/ vapours/ spray. oughly after handling. ors or in a well-ventilated area. work clothing should not be allowed out of the e gloves/ protective clothing/ eye protection/ e resistant/ retardant clothing. equate ventilation wear respiratory protection. IF SWALLOWED: Rinse mouth. Do NOT IF ON SKIN (or hair): Take off immediately hing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air e for breathing. Immediately call a POISON obysician. + P310 IF IN EYES: Rinse cautiously with utes. Remove contact lenses, if present and rinsing. Immediately call a POISON CENTER CLOTHING: rinse immediately contaminated n plenty of water before removing clothes. rritation or rash occurs: Get medical advice/ riencing respiratory symptoms: Call a r doctor/ physician. hated clothing before reuse. of fire: Use dry sand, dry chemical or



Evacuate area. Fight fire remotely due to the risk of explosion. P390 Absorb spillage to prevent material damage. **Storage:** P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P406 Store in corrosive resistant stainless steel container with a

resistant inner liner.

#### Disposal:

Arch

Inc.

Chemicals,

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS OR CHEMICAL NAME POTASSIUM PEROXYMONOSULFATE	<u>CAS #</u> 10058-23-8	<u>% RANGE</u> 32.3 - 34.4
POTASSIUM SULFATE	7778-80-5	21.8 - 23.2
POTASSIUM BISULFATE	7646-93-7	17.3 - 18.4
Hexametaphosphate	68915-31-1	15.0 - 19.0
Aluminum Sulfate	17927-65-0	5.0 - 7.0
POTASSIUM PEROXYDISULFATE	7727-21-1	2.3 - 2.4
MAGNESIUM CARBONATE	546-93-0	1.5 - 1.6

## **SECTION 4. FIRST AID MEASURES**

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing
	becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
Olicia Constants	•
Skin Contact:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing
	comes in contact with the product, the clothing should be removed immediately
	and laundered before re-use. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes.
-	Seek medical attention immediately.
	· · · · · · · · · · · · · · · · · · ·



Ingestion: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

# **SECTION 5. FIREFIGHTING MEASURES**

Flammability Summary (OSHA):	Product is not known to be flammable, combustible, pyrophoric or explosive.
<u>Flammable Properties</u> Flash Point: Autoignition Temperature:	Not applicable Not applicable
Fire / Explosion Hazards:	Material will not ignite or burn. Will release oxygen when heated, intensifying a fire
Extinguishing Media:	Water only.
Fire Fighting Instructions:	In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus. Use water to cool containers.
Upper Flammable / Explosive Limit, % in air:	Not applicable
Lower Flammable / Explosive Limit, % in air:	Not applicable

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection for Emergency Situations:	Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.
Spill Mitigation Procedures	
Air Release:	Contain all solids for treatment or disposal. Contain all solids for treatment or disposal.
Water Release:	This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. This material is soluble in water.Notify all downstream users of possible contamination.Divert water flow around spill if possible and safe to do so.
Land Release:	Sweep up and place in suitable clean, dry containers for reclamation or later disposal. Avoid dust generation. Do not place spill materials back in their original containers. After removal, flush contaminated area thoroughly with water.Sweep up and place in suitable clean, dry containers for reclamation or later disposal.Do not place spill materials back in their original containers.After removal, flush contaminated area thoroughly with water.



Additional Spill Information : Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

## **SECTION 7. HANDLING AND STORAGE**

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid inhalation of dust and fumes.
Storage:	Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed.
Incompatible Materials for Storage:	Refer to Section 10, "Incompatible Materials."

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation:	Local exhaust ventilation or other engineering controls are normally required
	when handling or using this product to keep airborne exposures below the
	TLV, PEL or other recommended exposure limit.
Protective Equipment for Ro	utine Use of Product

Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible.
Respirator Type :	Wear a NIOSH approved N95 respirator.
Skin Protection :	Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body.
Eye Protection:	Use chemical goggles.
Protective Clothing Type:	Neoprene
General Protective	An eye wash and safety shower should be provided in the immediate work
Measures:	area.

#### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
Aluminum Sulfate (17927-65-0)	TWA	1 mg/m3	ACGIH (02 2014)
POTASSIUM PEROXYDISULFATE (7727- 21-1)	TWA	0.1 mg/m3	ACGIH (02 2014)
[as persulfate]			



# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: Form Color: Odor: Molecular Weight:	powder solid white No data. No data
pH:	1.5 - 3.0 1% solution
Boiling Point:	Not applicable
Melting point/freezing point	No data
Density	1.055 g/cm3
Vapor Pressure:	No data
Vapor Density:	No data
Viscosity:	No data
Fat Solubility:	No data
Solubility in Water:	soluble
Partition coefficient n-	
octanol/water:	
Evaporation Rate:	Not applicable
Oxidizing:	No data
Volatiles, % by vol.:	No data
VOC Content	No data
HAP Content	No data

## SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Conditions to Avoid:	Stable under normal conditions. Sparks, open flame, other ignition sources, and elevated temperatures.
Chemical Incompatibility:	Halides, Cyanides, Heavy metals such as cobalt, nickel, copper, or manganese, oxidizers
Hazardous Decomposition Products:	Carbon monoxide, Carbon dioxide, Decomposes when heated or dampened, releasing oxygen and heat
Decomposition Temperature:	No data

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Component Animal Toxic	ology	
Oral LD50 value:		
POTASSIUM BISULFATE	LD50 = 2,340 mg/kg Rat	
Hexametaphosphate	LD50 = 3,053 mg/kg Rat	
Aluminum Sulfate	LD50 anhydrous substance = 6,207 mg/kg	Mouse
	LD50 anhydrous substance = 1,930 mg/kg	Rat



Component Animal Tox Dermal LD50 value: Hexametaphosphate Aluminum Sulfate	<u>kicology</u> no data available LD50 anhydrous substance Believed to be > 2,000 mg/kg Rabbit
Component Animal Tox Inhalation LC50 value: Hexametaphosphate Aluminum Sulfate	<u>kicology</u> LC50 4 h > 3.69 mg/l Rat No data
<u>Product Animal Toxicity</u> <u>Oral LD50 value</u> : <u>Dermal LD50 value</u> : <u>Inhalation LC50</u> <u>value</u> : Skin Irritation: Eye Irritation: Skin Sensitization:	LD50 Believed to be approximately 2,100 mg/kg Rat LD50 Believed to be > 2,000 mg/kg Rabbit LC50 1 h (aerosol dust) Believed to be > 18.8 mg/l Rat This material is expected to be corrosive. Corrosive to eyes. Possible skin sensitizer based on animal tests
Acute Toxicity: Subchronic / Chronic Toxicity:	This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. Not known or reported to cause subchronic or chronic toxicity.
Reproductive and Developmental Toxicity	Not known or reported to cause reproductive or developmental toxicity.
Mutagenicity:	Not known or reported to be mutagenic.
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

# **SECTION 12. ECOLOGICAL INFORMATION**

Overview: Moderately toxic to fish and other aquatic organisms.

#### Ecological Toxicity Values for: POTASSIUM SULFATE

Eopornio madroonniao (Blaogin	-	96 hr. EC50 (cell growth inhibition) 96 h LC50 = 3,550 mg/l
sunfish)		
Pimephales promelas (fathead -	-	96 h LC50 = 680 mg/l
minnow)		
Daphnia magna (Water flea) -	-	48 h EC50= 720 mg/l



#### Ecological Toxicity Values for: Aluminum Sulfate

Mosquito fish	Largemouth bass	-	96 h LC50 = 250 mg/l (anhydrous aluminum sulfate) 96 h LC50 = 235 mg/l (anhydrous aluminum sulfate)
Ecological Toxicity	Values for: POTAS	SIUN	I PEROXYDISULFATE
Сур	rinus carpio (Carp)	-	48 h LC50 = 1,360 mg/l
Oncorhynchus m	ykiss (rainbow	-	48 h LC50 = 234 mg/l
trout)			
Poecilia reticulata	a (guppy)	-	48 h LC50 = 845 mg/l
Daphnia r	nagna (Water flea)	-	48 h LC50= 92 mg/l

### **SECTION 13. DISPOSAL CONSIDERATIONS**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :	If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.
Disposal Methods :	As a nonhazardous solid waste it should be disposed of in accordance with local, state and federal regulations.
Potential US EPA Waste Codes :	Not applicable

#### **SECTION 14. TRANSPORT INFORMATION**

DOT	
UN number	: 3260
Description of the goods	: Corrosive solid, acidic, inorganic, n.o.s.
	: (Potassium hydrogenperoxomonosulphate)
Class	: 8
Packing group	: 11
Labels	: 8
Emergency Response Guidebook Number	: 154



IATAUN number: 3260Description of the goods: Corrosive solid, acidic, inorganic, n.o.s. (Potassium hydrogenperoxomonosulphate)Class: 8Packing group: IILabels: 8Packing instruction (cargo: 863aircraft):Packing instruction: 859(passenger aircraft):Packing instruction: Y844(passenger aircraft)
Description of the goods:Corrosive solid, acidic, inorganic, n.o.s. (Potassium hydrogenperoxomonosulphate)Class:8Packing group:IILabels:8Packing instruction (cargo:863aircraft):859Packing instruction:859(passenger aircraft):Y844
Class:8Packing group:IILabels:8Packing instruction (cargo:863aircraft):859(passenger aircraft):Y844
Class:8Packing group:IILabels:8Packing instruction (cargo:863aircraft):859(passenger aircraft):Y844
Labels:8Packing instruction (cargo:863aircraft):859(passenger aircraft):Y844
Packing instruction (cargo:863aircraft):859Packing instruction:859(passenger aircraft):Y844
aircraft) Packing instruction : 859 (passenger aircraft) Packing instruction : Y844
Packing instruction: 859(passenger aircraft): Y844
(passeriger anerary
IMDG-CODE
UN number : 3260
Description of the goods : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Potassium hydrogenperoxomonosulphate)
Class : 8
Packing group : II
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B

## **SECTION 15. REGULATORY INFORMATION**

#### **US State Regulations**

#### **California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA	: The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.
	<ul><li>Non-Chlorine Shock</li><li>Aluminum Sulfate</li></ul>

#### Inventories



AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**

Major References :

Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.