207149

Page 1/13

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 12.03.2014

Revision: 12.03.2014

1 Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name: <u>SOLDERLENE</u>
 Article number: 30004, 30016 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
· Application of the substance / the mixture Soldering flux
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Highside Chemicals, Inc. 11114 Reichold Road Gulfport, MS 39503 USA Phone: (228) 896-9220
· 1.4 Emergency telephone number:
ChemTel Inc. (800)255-3924, +1 (813)248-0585
2 Hazards identification
The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.
Carc. 1B H350 May cause cancer.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
environment
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC
R34: Causes burns.
Xi; Irritant
R37: Irritating to respiratory system.
N; Dangerous for the environment
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. (Contd. on page 2)

Revision: 12.03.2014

Printing date 12.03.2014

Trade name: SOLDERLENE
(Contd. of page 1) • Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. • Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms
This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).
GHS05 GHS08 GHS09
· Signal word Danger
 Hazard-determining components of labelling: Petrolatum zinc chloride Hazard statements The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411. H314 Causes severe skin burns and eye damage. H350 May cause cancer. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements
P281Use personal protective equipment as required.P273Avoid release to the environment.P264Wash thoroughly after handling.P202Do not handle until all safety precautions have been read and understood.P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Additional information: Restricted to professional users. Hazard description:
WHMIS-symbols: D2B - Toxic material causing other toxic effects (Contd. on page 3)

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: SOLDERLENE (Contd. of page 2) E - Corrosive material · NFPA ratings (scale 0 - 4) Health = 3Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) *3 Health = *3 HEALTH 1 Fire = 1 FIRE Reactivity 0 Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. · HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7646-85-7	zinc chloride	10-25%
EINECS: 231-592-0	🗾 C R34; 💓 Xn R22; 🌄 N R50/53	
Index number: 030-003-00-2	🔗 Skin Corr. 1B, H314	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	🗄 Acute Tox. 4, H302	
CAS: 12125-02-9	ammonium chloride	< 5,0%
EINECS: 235-186-4	🗙 Xn R22; 🗙 Xi R36	
Index number: 017-014-00-8	1 Acute Tox. 4, H302; Eye Irrit. 2, H319	
· Additional information: For	the wording of the listed risk phrases refer to section 16.	

4 First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

(Contd. on page 4)

GHS

Printing date 12.03.2014

Trade name: SOLDERLENE

Revision: 12.03.2014

	(Contd. of page 3)
• After inhalation: Supply fresh air; consult doctor in case of complaints.	
After skin contact:	
Immediately rinse with water.	
If skin irritation continues, consult a doctor.	
Seek immediate medical help for blistering or open wounds.	
· After eye contact:	
Remove contact lenses if worn, if possible.	
Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
· 4.2 Most important symptoms and effects, both acute and delayed	
Strong caustic effect on skin and mucous membranes.	
Breathing difficulty	
Coughing	
Naušea	
Cramp	
Gastric or intestinal disorders.	
·Hazards	
Danger of gastric perforation.	
Danger of severe eye injury.	
\cdot 4.3 Indication of any immediate medical attention and special treatment needed	
No further relevant information available.	

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
 Wear self-contained respirato
- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- \cdot Additional information No further relevant information available.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 Particular danger of slipping on leaked/spilled product.
 6.2 Environmental precautions:
 - Do not allow to enter sewers/ surface or ground water.

(Contd. on page 5)

GHS

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: SOLDERLENE

(Contd. of page 4)

- Inform respective authorities in case of seepage into water course or sewage system. · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically. Dispose contaminated material as waste according to item 13.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities · Storage:
- · Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: aluminium. Avoid storage near extreme heat, ignition sources or open flame.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients	with limit values that require monitoring at the workplace:
7646-85-7 zi	nc chloride
PEL (USA)	Long-term value: 1 mg/m ³ Fume
REL (USA)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³
TLV (USA)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ fume
L	(Contd. on page 6

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: SOLDERLENE

checked prior to the application.

	(Contd. of page 5)
EL (Canada)	Short-term value: 2 mg/m ³
	Long-term value: 1 mg/m ³
EV (Canada)	Short-term value: 2 mg/m ³
	Long-term value: 1 mg/m ³
	fume
	mmonium chloride
REL (USA)	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³
TLV (USA)	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³
EL (Canada)	Short-term value: 20 mg/m ³
	Long-term value: 10 mg/m ³ fume
EV (Canada)	Short-term value: 20 mg/m ³
_ (()))))))))))))))))	Long-term value: 10 mg/m ³
	fume
· DNELs No fu	rther relevant information available.
	rther relevant information available.
 Additional in 	formation: The lists valid during the making were used as basis.
 General prot The usual pret Keep away free Immediately r Wash hands H Do not inhale Avoid contact Respiratory I Not required to Use suitable r Use suitable r For spills, res Protection of 	under normal conditions of use. respiratory protective device when aerosol or mist is formed. respiratory protective device when high concentrations are present. piratory protection may be advisable. f hands:
Prote	ective gloves
Selection of degradation.	
quality and v substances, t	of the suitable gloves does not only depend on the material, but also on further marks of varies from manufacturer to manufacturer. As the product is a preparation of several he resistance of the glove material can not be calculated in advance and has therefore to be

(Contd. on page 7)

GHS

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: SOLDERLENE

(Contd. of page 6)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR

Neoprene gloves

· Eye protection:

Contact lenses should not be worn.



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- Risk management measures
 See Section 7 for additional information.
 No further relevant information available.

9 Physical and chemical properties

 9.1 Information on basic physical ar General Information Appearance: Form: Colour: Odour: Odour threshold: 	nd chemical properties Liquid Yellowish Petroleum-like Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. 1330 ° F / 721 °C	
· Flash point:	390 ° F / 199 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure at 20 °C:	1 hPa	(Contd. on page 8)

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: SOLDERLENE		
 Density at 20 °C: Relative density Vapour density Evaporation rate Solubility in / Miscibility with 	0,815 - 0,880 g/cm ³ Not determined. Not determined. Not determined.	(Contd. of page 7)
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.	
10 Stability and reactivity		
 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / condition No decomposition if used and stored a 10.3 Possibility of hazardous reacti Toxic fumes may be released if heate Reacts with strong oxidizing agents. Reacts with strong alkali. 10.4 Conditions to avoid Store away 10.5 Incompatible materials: No further 10.6 Hazardous decomposition proton Carbon monoxide and carbon dioxide Chlorine compounds Toxic metal oxide smoke 	according to specifications. ons d above the decomposition point. r from oxidizing agents. her relevant information available. ducts:	
11 Toxicological information		
11.1 Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classifier 7646-85-7 zinc chloride Oral LD50 350 mg/kg (rat) Primary irritant effect:	ication:	
 on the skin: Caustic effect on skin an on the eye: Strong caustic effect. Sensitization: No sensitizing effects I Additional toxicological information The product shows the following d Classification Guidelines for Preparati 	known. n: angers according to the calculation method	f of the General EU

(Contd. on page 9)

Printing date 12.03.2014

Trade name: SOLDERLENE

(Contd. of page 8)

Revision: 12.03.2014

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 1B

12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Ecotoxical effects:
- · Remark:

Toxic for fish

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen. Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Contd. on page 10)

Revision: 12.03.2014

Printing date 12.03.2014

Trade name: SOLDERLENE

(Contd. of page 9)

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

Transport information	
14.1 UN-Number	
DOT	Not Regulated
ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
DOT	Not Regulated
ADR	3082 ENVIRONMENTALLY HAZARDOL SUBSTANCE, LIQUID, N.O.S. (ZINC CHLORIDE)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (ZINC CHLORIDE), MARIN POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (ZINC CHLORIDE)
14.3 Transport hazard class(es)	
DOT	Net De sulate d
Class	Not Regulated
ADR	
Class	9 (M6) Miscellaneous dangerous substances a articles.
Label	9
IMDG	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
ΙΑΤΑ	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group	
DOT	Not Regulated
ADR, IMDG, IATA	
14.5 Environmental hazards:	
Marine pollutant:	Yes
Special marking (ADR):	Symbol (fish and tree)
	(Contd. on page

Printing date 12.03.2014

Revision: 12.03.2014

Trade name: SOLDERLENE

· Special marking (IATA):	(Contd. of page 10) Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
 Danger code (Kemler): 	90
· EMS Number:	F-A,S-F
 Segregation groups 	Acids
 14.7 Transport in bulk according to Annex 	ll of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
 Limited quantities (LQ) 	5L
 Transport category 	3
 Tunnel restriction code 	E
 UN "Model Regulation": 	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC CHLORIDE), 9, III

15 Regulatory information
 • 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • United States (USA) • SARA
· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
 Section 313 (Specific toxic chemical listings): Substance / component not listed individually, but listed under family group as Zinc salts.
7646-85-7 zinc chloride
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65 (California):
· Chemicals known to cause cancer:
None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic Categories
· EPA (Environmental Protection Agency)
7646-85-7 zinc chloride D, I, II
(Contd. on page 12)

Printing date 12.03.2014

Revision: 12.03.2014

(Contd. of page 11)

Trade name: SOLDERLENE

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

7646-85-7 zinc chloride

12125-02-9 ammonium chloride

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.
- R34 Causes burns.
- R36 Irritating to eyes.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 13)

Printing date 12.03.2014

Trade name: SOLDERLENE

Revision: 12.03.2014